

Domoso[®] Roll-on

Composition

Dimethyl sulfoxide BP medical grade 900 mg/g in a gel base.

Actions

A topical, anti-inflammatory, analgesic roll-on gel for horses and dogs. Enhances percutaneous absorption of various compounds by altering the permeability of the skin; also marked anti-inflammatory and analgesic effects.

Indications

Acute pain, inflammation and swelling due to trauma in dogs and horses.

Restrictions

DO NOT USE in food producing animals.

For external use only

Warnings

Do not mix with other medication except on veterinary advice.

Do not bandage the treated area.

At high doses dimethyl sulfoxide has been shown to be teratogenic in hamsters and chicks, but not in mice, rats or rabbits; weigh the risks versus benefits when using in pregnant animals.

Because of its anticholinesterase activity, avoid the use of other cholinesterase inhibitors with

Domoso Roll-On.

Directions for Use

Apply to the skin over the affected area two to three times daily according to individual condition and response.

Meat Withholding Period (Horses)

Australia: Not to be used on horses that will be slaughtered for human consumption.

New Zealand: Horses producing meat or offal for human consumption must not be sold for slaughter during treatment or within 63 days of the last treatment.

Safety directions

Avoid contact with skin and eyes and avoid breathing vapour.

Wear protective gloves when using.

First Aid

If poisoning occurs, contact a doctor or Poisons Information Centre. Phone Australia 131 126 or New Zealand 0800 764 766.

Remove contaminated clothing and wash skin thoroughly if skin contact occurs.

Last Modified 22-Nov-11

Presentation

Gel (roll-on applicator): 100 g.

Storage

Store below 30°C (room temperature).

Poisons Schedule

S6 – Australia

RVM- New Zealand.

APVMA Number

41745

ACVM Number

A4851

ERMA Approval No. HSR002048