

Troy Dynajec Injection

Muscular Stimulant for Horses and Dogs

Registered Name

Troy Dynajec Injection Muscular Stimulant for Horses and Dogs

Composition

Sodium selenite 0.5mg/mL, Magnesium Aspartate 15.0mg/mL, Potassium aspartate 10.0mg/mL, Cyanocobalamin 250µg/mL, Heptaminol hydrochloride 5.0mg/mL, Disodic adenosine monophosphate 2mg/mL

Actions

An aid in the control of Exertional Rhabdomyolysis (ER) in horses and dogs, (Tying up syndrome in horses).

Indications

An aid in control of muscular dystrophy and tying up syndrome in horses and dogs.

Precautions

If used in performance animals, the regulations of the relevant authorities regarding medication should be observed.

First Aid

If poisoning occurs, contact a Doctor or Poisons Information Centre (Australia) 131126. If skin contact occurs, remove contaminated clothing and wash skin thoroughly.

Withholding Period

Nil

Dosage and Administration

Use the contents of this vial within 90 days of initial broaching. Discard the unused contents.

Administer via Intramuscular or Subcutaneous injection.

Treatment One injection once every 3 days for 9-12 days.

Prevention One injection once a week for 2 to 3 weeks.

Horses – Adult 20mL, Foals 10mL

Dogs 2-5mL according to size by subcutaneous or intramuscular injection.

Presentation

Injection 100mL

Disposal

Dispose of empty container by wrapping with paper and putting in garbage. Discarded needles/sharps should be immediately placed in designated and appropriately labelled 'sharps' container.

Storage

Store below 25°C (Air Conditioning), Protect from light. Do not expose this product to low temperatures at or below 0°C.

Poisons Schedule


S6

Registration

All States

APVMA Number

63237



TROY

Dynajec
INJECTION

**Muscular Stimulant
for horses and dogs**